

SERENITY









SERENITY™ IS AN AMAZING ALARM SYSTEM DESIGNED TO FIT ON YOUR WALL LIKE A PIECE OF ART.

With SERENITYTM you can enjoy the most exciting experience in security, convenience and control. The graphical display of the main unit and the keypads make customers daily tasks easy and centralized at their fingertip control.

Simple to learn and simple to use, the SERENITYTM is powerful enough for any residential application including alarm, home automation and personal care via any communication path you choose.



Pictures or video stream transmission to end user via Internet/GSM

MMS & VIDEO STREAM

WEB ACCESS

Serenity offers the ability to completely control the security system remotely over the Internet using web browser.













SERENITYTM
Gateway







SERENITY supports home automation control systems to interact with air conditioners, lights, electric window blinds, garage door etc...









WIRELESS HOME & PERSONAL CARE

GSM/GPRS

SERENITYTM provides a user friendly solution for seniors or physically less able people, requiring the care and reassurance needed to allow them to remain living in their own homes.

SERENITYTM can be used to raise an alarm call from anywhere in the home by simply pressing the FW-Panic & open a free two way voice communication.







humans from household pets up to 25 Kgs . It will not

trigger an alarm if your pet walks into the coverage area


while the system is armed.






















2 Way Wireless Accessories & Control Devices



FW-KEYPADS2 Way Wireless
Graphic Keypads



WIRELESS PIR CAMERAPIR/Camera with IR illumination for visual verification



FW-NEPTUNEUltra slim outdoor sounder



FW-VESTAInternal Sounder



FW-NEO PIRPet immune PIR detector



FW-360 DETECTOR 360° ceiling mount PIR detector



FW-RMT Remote control key fobs



FW-PANICPanic Watch/Pendant



FW-SMKH
Smoke & Heat detector



FW-MAGNETDoor/Window contact



FW-VIB / FW-GBD
Vibration/Shock Sensors &
Acoustic Glass Break Detectors



FW-FLOOD Flood detector

Specifications:

- Up to 32 wireless and 2 hardwired zones
- Available in 868 and 916.5 Mhz frequencies
- Supports up to 4 partitions
- New graphic LCD display and two way wireless keypads
- Two way built-in wireless transceiver
- Wide range of indoor and outdoor two way wireless accessories
- Optional GSM/GPRS communicator
- Built in TCP/IP Module

- Event reporting to central monitoring stations (SIA & CID), SMS messages, web applications, mobile phones & landline phones
- Visual verification via pictures and video streaming
- Optional add-on RFID reader in main unit and FW-Keypad
- Two way voice on board communicator
- Access control and home automation features
- External power supply
- Designed to comply with EN50131 Grade 2





HEADQUARTERS:

CROW ELECTRONIC ENGINEERING LTD.

12 Kineret St.
Airport City, 70100 Israel
Tel. +972 3 9726000
Fax. +972 3 9726001
sales@crow.co.il
support@crow.co.il
www.thecrowgroup.com

INTERNATIONAL OFFICES:

CROW LATIN AMERICA USA INC.

7200 NW 19 st.
Suite 307
Miami FI 33126, USA
Tel. +305 513 4001
Fax. +305 513 4005
rejane@crowlatinamerica.com
www.crowlatinamerica.com

ARROWHEAD ALARM PRODUCTS

344B, Rosedale Road Park Farm Industrial Estate Albany, Auckland New Zealand Tel. +64 9 414 0085 Fax. +64 9 414 0088 www.aap.co.nz